

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	588817	"1" and (fault fail\$6)	USPAT	OR	ON	2006/01/22 10:32
L2	1	(US-6041306-\$).did.	USPAT	OR	OFF	2006/01/22 10:32
L3	1	2 and (fault fail\$6)	USPAT	OR	ON	2006/01/22 10:32
L4	1513	scalable and (resource adj manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L5	1457	scalable and (resource adj manag\$5) and network\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L6	689	@ad<="20010524" and (scalable and (resource adj manag\$5) and network\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L7	243	(start\$3 same (shut\$3 ends) same restart\$3) with (application program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L8	0	(scalable and (resource adj manag\$5)) and @ad<="20010524" and ((start\$3 same (shut\$3 ends) same restart\$3) with (application program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L9	0	(scalable and (resource adj manag\$5) and network\$3) and @ad<="20010524" and ((start\$3 same (shut\$3 ends) same restart\$3) with (application program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L10	172	@ad<="20010524" and ((start\$3 same (shut\$3 ends) same restart\$3) with (application program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L11	0	(scalable and (resource adj manag\$5)) and (@ad<="20010524" and ((start\$3 same (shut\$3 ends) same restart\$3) with (application program)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56

L12	31	(start\$3 same (shut\$3 ends) same restart\$3) with (copy instance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L13	216	resumption with (copy instance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L14	713	@ad<="20010524" and (scalable and (resource adj manag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L15	0	(scalable and (resource adj manag\$5)) and (resumption with (copy instance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L16	151	@ad<="20010524" and (resumption with (copy instance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L17	0	((US-20020064126-\$).did.) and scalable	US-PGPUB; USPAT	OR	ON	2006/01/22 10:56
L18	0	((US-6351744-\$ or US-6041306-\$ or US-6362836-\$).did. or (US-20020064126-\$).did.) and scalable	US-PGPUB; USPAT	OR	ON	2006/01/22 10:56
L19	153	scalable adj application	US-PGPUB; USPAT	OR	ON	2006/01/22 10:56
L20	20776748	@ad<="20010524"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L21	0	((US-20020064126-\$).did.) and performance	US-PGPUB	OR	ON	2006/01/22 10:56
L22	9	(@ad<="20010524" and ((start\$3 same (shut\$3 ends) same restart\$3) with (application program))) and (resource adj manag\$5) and network\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L23	24	@ad<="20010524" and ((start\$3 same (shut\$3 ends) same restart\$3) with (copy instance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56

L24	41	(@ad<="20010524" and (resumption with (copy instance))) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L25	30	((starts and resum\$) with (copy instance)) same (manager controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L26	25	@ad<="20010524" and (((starts and resum\$) with (copy instance)) same (manager controller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L27	1	("20020064126").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/22 10:56
L28	3	quality adj of adj service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L29	4	(US-6351744-\$ or US-6041306-\$ or US-6362836-\$).did. or (US-20020064126-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/01/22 10:56
L30	75	(scalable adj application) and @ad<="20010524"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L31	1	((US-20020174420-\$).did.) and performance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L32	1	((US-20020064126-\$).did.) and perform\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L33	1	((US-20020064126-\$).did.) and application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L34	5	(US-6351744-\$ or US-6041306-\$ or US-6362836-\$).did. or (US-20020174420-\$ or US-20020064126-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/01/22 10:56

L35	3	((US-6351744-\$ or US-6041306-\$ or US-6362836-\$).did. or (US-20020174420-\$ or US-20020064126-\$).did.) and monitor\$3	USPAT	OR	ON	2006/01/22 10:56
L36	3	((US-6351744-\$ or US-6041306-\$ or US-6362836-\$).did. or (US-20020174420-\$ or US-20020064126-\$).did.) and monitor\$3 and (status state)	USPAT	OR	ON	2006/01/22 10:56
L37	1	((US-6351744-\$ or US-6041306-\$ or US-6362836-\$).did. or (US-20020174420-\$ or US-20020064126-\$).did.) and qos	USPAT	OR	ON	2006/01/22 10:56
L38	1	((US-20020174420-\$).did.) and states	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L39	3	((US-6351744-\$ or US-6041306-\$ or US-6362836-\$).did. or (US-20020174420-\$ or US-20020064126-\$).did.) and automat\$	USPAT	OR	ON	2006/01/22 10:56
L40	3	((US-6351744-\$ or US-6041306-\$ or US-6362836-\$).did. or (US-20020174420-\$ or US-20020064126-\$).did.) and scal\$	USPAT	OR	ON	2006/01/22 10:56
L41	1	("20030167270").PN.	US-PGPUB; USPAT	OR	OFF	2006/01/22 10:56
L42	70	(resource adj manag\$3) with scal\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L44	35	L42 and L43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L45	29	L44 and (instance instantiat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56

L46	30	L44 and (instance instantiat\$4 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L47	30	L44 and (instance instantiat\$4 image copy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L48	131	(resource adj (manager management)) with scal\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L49	60	L43 and L48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L50	31	L49 and qos	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L51	31	L50 and L43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L52	31	L51 and (host network server client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L53	19132534	@ad<="20000425"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L54	131	(resource adj (manager management)) with scal\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56

L55	60	L53 and L54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L56	31	L55 and qos	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L57	31	L56 and L53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L58	31	L57 and (host network server client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L59	30	L58 and (application program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L60	28	L58 and signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L61	1	(US-5826239-\$).did.	USPAT	OR	OFF	2006/01/22 10:56
L62	1	L61 and (configur\$4 configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L63	92843	"9" and ((application program) with instance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L64	1	(US-5826239-\$).did.	USPAT	OR	OFF	2006/01/22 10:56

L65	0	L64 and ((application program) with instance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L66	1	L64 and ((application program) same instance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L67	0	L64 and (mov\$3 transfer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L68	1	L64 and (communicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L69	1	L64 and attribute	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L70	1	L64 and restart\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L71	1	(US-20030167270-\$).did.	US-PGPUB	OR	OFF	2006/01/22 10:56
L72	0	L71 and characteristic	US-PGPUB; USPAT	OR	OFF	2006/01/22 10:56
L73	1	L71 and characteristic	US-PGPUB; USPAT	OR	ON	2006/01/22 10:56
L74	1	L71 and fault	US-PGPUB; USPAT	OR	ON	2006/01/22 10:56
L75	0	L64 and fault	US-PGPUB; USPAT	OR	ON	2006/01/22 10:56
L76	1	L64 and fail\$4	US-PGPUB; USPAT	OR	ON	2006/01/22 10:56
L77	0	L64 and (weigh\$4 priority rank\$4)	US-PGPUB; USPAT	OR	ON	2006/01/22 10:56

L78	1	L64 and user	US-PGPUB; USPAT	OR	ON	2006/01/22 10:56
L80	1	(US-6041306-\$).did.	USPAT	OR	OFF	2006/01/22 10:56
L81	1	L80 and scalab\$6	USPAT	OR	OFF	2006/01/22 10:56
L82	1	L80 and table	USPAT	OR	OFF	2006/01/22 10:56
L83	1	L80 and configuration	USPAT	OR	ON	2006/01/22 10:56
L84	1	L80 and instance	USPAT	OR	ON	2006/01/22 10:56
L85	1	L80 and (instance with (transfer\$4 sending sent send transmit\$3 network host client server))	USPAT	OR	ON	2006/01/22 10:56
L86	1	L80 and ((instance attribute) with (transfer\$4 sending sent send transmit\$3 network host client server))	USPAT	OR	ON	2006/01/22 10:56
L87	478	((instance copy image) near3 program) with (transfer\$4 sending sent send transmit\$3) with (network host client server)	USPAT	OR	ON	2006/01/22 10:56
L88	402	@ad<="20010524" and L87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L89	68	L88 and ((application program) with priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L90	9	L89 and ((scalable scalability) with (application program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L91	1	L88 and (user with (fault adj toleran\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L92	1	((characteristic attribute) near3 (program application)) with priority) and (user with (fault adj toleran\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L93	69	((characteristic attribute) near3 (program application))) and (user with (fault adj toleran\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56

L94	60	@ad<="20010524" and L93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L95	625	(((characteristic attribute) with (program application))) with priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L96	3	L94 and L95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L97	46	(resource adj allocation) and (user with (fault adj toleran\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L98	29	@ad<="20010524" and L97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L99	9	(resource adj allocation) and (user with (fault adj toleran\$4) with (select\$4 control\$3 manag\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L100	2	@ad<="20010524" and L99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L101	98	@ad<="20010524" and (user with (fault adj toleran\$4) with (select\$4 control\$3 manag\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L102	12	@ad<="20010524" and (user with (fault adj toleran\$4) with (select\$4 control\$3 manag\$4) with (level degree))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L103	1	(US-6654029-\$).did.	USPAT	OR	OFF	2006/01/22 10:56
L104	1	L103 and fault	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56

L105	1	L103 and level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L106	1	L103 and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 10:56
L107	1	L80 and (device with user)	USPAT	OR	ON	2006/01/22 10:56